

www.hydroblaster.com

## **Safety Data Sheet**

### **Section 1. Identification**

	<b>—</b>			
Product identifier	Flocculent			
Other means of identification	3RG760			
Product Description	Anionic Polymer Flocculent			
Recommended use	Not available.			
Recommended restrictions	None known.			
Manufacturer/Importer/Supplier/Distributor information				
Supplier				
Company name	Hydro Engineering, Inc.			
Address	865 W 2600 S			
	Salt Lake City, UT 84119			
Telephone	800-247-8424			
Website	http://www.hydroblaster.com			
Emergency phone number	Chemtrec Within US & Canada:	800-424-9300		

### Section 2. Hazard(s) identification

Aqueous solutions or powders that become wet render surfaces extremely slippery.

#### Section 3. Composition/information on ingredients

Identification of the preparation		
actinitiation of the preparation	Anionic water-soluble polymer	
Substance	Sodium 2-Propenoate 2-Propenamide Polymer	
Sobriquet	2-Propenoic Acid, Polymer	
CAS no	25987-30-8	
Content	90 ± 5	
Section 4. First-aid measures		
Inhalation	Move to fresh air	
Skin Contact	Wash off immediately with soap and plenty of water. In case of persistent skin irritation, consult a physician.	
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. In case of persistent eye irritation, consult a physician.	
Ingestion	The product is not considered toxic based on studies on laboratory animals.	
Section 5. Fire-fighting measures		

# Suitable extinguishing mediaWater, water spray, foam, dry powder, carbon dioxide(CO2)Special fire-fighting precautionsAqueous solutions or powders that become wet render surfaces extremely slippery.

## Special protective equipment for No special protective equipment required. firefighters

### Section 6. Accidental release measures

Methods for cleaning up	Do not flush with water.
	Clean up promptly by scoop or vacuum.
	Keep in suitable and closed containers for disposal.
	After cleaning, flush away traces with water.

### Section 7. Handling and storage

Section 7. Handling and storage		
Handling	Avoid contact with skin and eyes. Avoid dust formation. Do not breathe dust. Wash hands before breaks and at the end of workday.	
Storage	Keep in a dry, cool place (0~35 $^\circ C$ ).	
Section 8. Exposure controls/personal protection		
Engineering measures to reduce exposure	Use local exhaust if dusting occurs. Natural ventilation is adequate in absence of dusts.	
Personal protection equipment		
Respiratory protection	Dust safety masks are recommended where concentration of total dust is more than 10mg/ ${\rm m}^{\!3}$	
Hand protection	Rubber gloves.	
Eye protection	Safety glasses with side-shields. Do not wear contact lenses.	
Skin and body protection	Chemical resistant apron or protective suit if splashing or repeated contact with solution is likely.	
Hygiene measures	Wash hands before breaks and at the end of workday.	
	Handle in accordance with good industrial hygiene and safety practice.	
Section 9. Physical and chemical properties		
Form	Granular solid	
Color	White	
Odor	None	
рН	4 ~ 9 $@$ 5 g/L for product series. See Technical Bulletin for specific value.	
Melting Point (°C)	Not applicable	
Flash Point(°C)	Not applicable	
Auto ignition temperature	Not applicable	
Vapor pressure (mmHg)	Not applicable	
Section 10. Stability and reactivity		
Stability	Product is stable, no hazardous polymerization will occur.	
Materials to avoid	Oxidizing agents may cause exothermic reactions.	
Hazardous Decomposition Products	Thermal decomposition may produce: nitrogen oxides (NOx), carbon oxides.	
Section 11. Toxicological information		
Acute toxicology Oral	LD 50/oral/rat > 5000 mg/kg	
Dermal	The result of testing on rabbits showed this material to be non-toxic even at high dose levels.	
Inhalation	The product is not expected to be toxic by inhalation.	
Irritation		
Skin	The results of testing on rabbits showed this material to be non-irritating to the skin.	
Eyes	Testing conducted according to the Draize technique showed the material produces no corneal or iridial effects and only slight transitory conjuctival effects similar to those which all granular materials have on conjuctive.	
Sensitization	The result of testing on guinea pigs showed this material to be non-sensitizing	
Chronic toxicity	A two-year feeding study on rats did not reveal adverse health effects. A one-year feeding study on dogs did not reveal adverse health effects.	
Section 12. Ecological information		
Fish	LC 50/Fathead minnows/96h > 1000 mg/l	
Algae Bioaccumulation	EC 50/Selenastrum capricornutum/96h > 500 mg/l	
	The product is not expected to bioaccumulate.	
Persistence / Degradability	Not readily biodegradable.	

### Section 13. Disposal considerations

	Waste from residues / unused products	In accordance with local and national regulations.	
	Contaminated packaging	Rinse empty containers with water and use the rinse water to prepare the working solution. Can be land filled or incinerated, when in compliance with local regulations	
	Section 14. Transport information		
	Remarks	Not classified as dangerous in the meaning of transport regulations.	
	Section 15. Regulatory information		
	This product is not a hazardous article and need not to be labeled according to EC-Directives as amended.		
	Inventory Status		
	EINECS (Europe)	Existing polymer according to the definition in the 7 th Amendment to Directive 67/548/EEC. All starting materials and additives are listed in EINECS.	
Section 16. Other information, including date of preparation or last revision			
	Issue date	25-March-2013	
	Revision date	09-December-20	
	Disclaimer	This safety data sheet (SDS) was prepared in accordance with the 29 CFR 1910.1200. The information contained herein is based upon data available to us and reflects our best professional judgment. However, no warranty is expressed or implied regarding the accuracy of such information or the results obtained from the use thereof. We assume no legal responsibility whatsoever for any damage resulting from reliance upon this information since it is being furnished upon the condition that the person receiving it shall make his or her own determination of the suitability of the material described herein for a particular application, storage, or disposal situation.	