

Model ICW

Instant Car Wash

Have lots of cars but no place to wash them? Want to be promote a 'Green' company image and maintain compliance with water discharge regulations? Need a system that can operate without a sewer connection? Want to save water and reduce sewer bills by recycling?

Standard features:

- 208/230-volt, 1 phase, 60 HZ, 18 Amps
- Hydroblaster, 2GPM @ 1500PSI (operates on recycled water)
- Microfiber soft recycled water wash brush
- Fresh water rinse gun
- Fresh water make-up
- Wash water recycling for fine solids, emulsified oils, hydrocarbon, metals, and chemical removal
- PLC controls. Automatic start up with self-diagnostics and daily operation including automatic media filter backwash and maintenance functions



- Hydroblaster rated 3GPM @1000PSI
- Hydroblaster rated 4GPM @ 2000PSI (available as a dual gun operating system)
- Full system enclosure with thermostatic vent fan control
- Pressurized discharge to drain via PLC controlled motorized ball valve
- PLC controlled motorized ball valve sludge drain
- pH monitor/dosing system (PN 2RF992)
- Biological odor control and hydrocarbon elimination
- De-foam control
- Service indicator beacon
- 7" LCD color control panel with touch controls, remote operation monitoring, ethernet connectivity and data logging
- Hydropad wash platform ordered separately along with remote equipment module (REM) that can include remote system on/off, hose booms, wand and brush hangars and system instructions

Flow Rate - GPM (LPM): 12 (45.4)

Dimension - Inches (CM): 72" (183) L X 36" (91.4) W X 75" (190.5) H

Weight - LBS (KG): 1142 (518





